

ICC-ES PMG Listing**PMG-1051**

Effective Date: July 1, 2011

*This listing is subject to re-examination in one year.***www.icc-es.org/pmg | (800) 423-6587 | (562) 699-0543***A Subsidiary of the International Code Council®*CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 14 13—Facility Storm Drainage Piping

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Froet Drain® Roof Drain

Listee: Froet Industries LLC
1741 Industrial Drive
Sterling, Illinois 61081
www.froetindustries.com

Compliance with the following codes:

2012 and 2009 *International Plumbing Code*® (IPC)
2009 IAPMO *Uniform Plumbing Code* (IAPMO UPC)*

*UPC and UMC are registered trademarks of IAPMO.

Compliance with the following standard:

LC1021 PMG Listing Criteria for Roof Drains with Integral Overflow Drain or Air Vent
ASME A112.6.4-2003 (R2008) Roof, Deck, and Balcony Drains

Identification:

The Froet Drain® Roof Drain must be permanently and legibly marked with the manufacturer's name or trademark, and the model number.

Packaging for the product is marked with the product code and the ICC-ES PMG listing mark. The ICC-ES PMG listing number (PMG-1051) is optional.

Installation:

The Froet Drain® Roof Drain must be installed in accordance with the applicable code and the manufacturer's published installation instructions.

Models: 100C3-*
100C4-*
100C5-*
100C6-*
100C8-*
200C3
200C4
200C5
200C6

***OFS**—OverFlow Strainer model; **LP-OFS**—Low Profile OverFlow Strainer model; **VP**—Vent Pipe model.

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this listing, or as to any product covered by the listing.

Conditions of listing:

1. Primary and secondary roof drain systems must be designed and sized in accordance with the applicable code.
2. The vent pipe, when used, must be sized and extend above the roof as required by the applicable code.
3. The vent pipe extension must be permanently identified as a vent pipe.
4. The vent pipe extension material must conform to the applicable plumbing code.
5. The Froet Drain[®] Roof Drains are manufactured by Froet Industries LLC in Sterling, Illinois, under a quality control program with annual surveillance inspections by ICC-ES.