

# ICC-ES Report

# PMG-1051

ICC-ES | (800) 423-6587 | (562) 699-0543 | [www.icc-es.org](http://www.icc-es.org)

Reissued 07/2018  
This report is subject to renewal 07/2019

EVALUATION SUBJECT:

## FROET DRAIN<sup>®</sup> ROOF DRAIN

**DIVISION:**

22 00 00—PLUMBING

**SECTION:**

22 14 13—FACILITY STORM DRAINAGE PIPING

Report Holder:

**FROET INDUSTRIES LLC**

1741 INDUSTRIAL DRIVE  
STERLING, IL 61081

Look for the ICC-ES marks of Conformity!



## ICC-ES PMG Product Certificate

**PMG-1051**

Effective Date: July 2018

This listing is subject to re-examination in one year.



[www.icc-es-pmg.org](http://www.icc-es-pmg.org) | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING  
Section: 22 14 13—Facility Storm Drainage Piping

### Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Froet Drain® Roof Drain

Listee: Froet Industries LLC  
1741 Industrial Drive  
Sterling, Illinois 61081  
[www.froetindustries.com](http://www.froetindustries.com)

### Compliance with the following codes:

2018, 2015, 2012 and 2009 *International Plumbing Code*® (IPC)  
2018, 2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)\*

*\*Uniform Plumbing Code is a copyrighted publication of the International Association of the Plumbing and Mechanical Officials*

### Compliance with the following standard:

ICC-ES LC1021-2010 PMG Listing Criteria for Roof Drains with Integral Overflow Drain or Air Vent  
IGC 187-2012 Roof Drains with Integral Overflow or Air Vent  
ASME A112.6.4-2003 (R2012) Roof, Deck, and Balcony Drains

### Identification:

The Froet Drain® Roof Drain must be permanently and legibly marked with the manufacturer's name or trademark, the model number and ICC-ES PMG listing mark.

Packaging for the product is marked with the product code and the ICC-ES PMG listing mark.

### Installation:

The Froet Drain® Roof Drain must be installed in accordance with the applicable code and the manufacturer's published installation instructions.

### Models:

100C3-\*  
100C4-\*  
100C5-\*  
100C6-\*  
100C8-\*  
200C3  
200C4  
200C5  
200C6

\***OFS**—**O**ver**F**low **S**trainer model; **LP-OFS**—**L**ow **P**rofile **O**ver**F**low **S**trainer model; **VP**—**V**ent **P**ipe model ; **ULP**—**O**FS **U**ltra **L**ow **P**rofile **O**ver **F**low **S**trainer **M**odel.

Conditions of listing:

1. Primary and secondary roof drain systems must be designed and sized in accordance with the applicable codes.
2. The vent pipe, when used, must be sized and extend above the roof as required by the applicable code.
3. The vent pipe extension must be permanently identified as a vent pipe.
4. The vent pipe extension material must conform to the applicable plumbing code.
5. The Froet Drain<sup>®</sup> Roof Drains are manufactured by Froet Industries LLC in Sterling, Illinois, under a quality control program with annual surveillance inspections by ICC-ES.

